

FIG. 1







FIG. 3






FIG. 5

5/7

500

ABC ARL Purging Service

How to purge ARLs from all ABC servers

Before you purge an ARL, be sure that you have already replaced the files you are about to purge with fresh content on your web server(s). The ABC network will retrieve the fresh contents immediately after the old files are purged.

1. For e-mail notification upon completion of the purge process, type in the e-mail addresses where you want notification sent.
2. You can either type in a list of ARLs, or you can upload a file of ARLs to be purged. The file or list must contain one ARL per line.
 - *For an ARL list, type in the complete ARL in the **ARLs to Purge** field.
 - *For files, click **Browse**. Choose a filename on your local machine to upload.

Note: The maximum number of ARLs for each purge request is 100. The Purge Tool will automatically remove duplicate ARLs.

3. Click the **Purge** button. A confirmation page displays the ARLs you submitted, estimated completion time for your purge request, and a reference number to use when contacting ABC about any questions or problems with your request.


Notification email addresses:

nobody@ABC.com

ARLs to purge:

http://foo.bar.com/xyz

Once you purge an ARL, ABC servers no longer store it. Your server will receive the first subsequent request for that ARL; ABC servers then receive subsequent requests for that ARL. Since the first request to your server is slower than service from an ABC server, purge ARLs only when necessary.



ARL purge results for ABC Technologies

Your purge request has been submitted to the ABC system. Your purge request id code is: **782**. Please record this number for future reference. The estimated maximum completion time for this request is: **480 secs**.

The following ARLs have been submitted:

#	ARL	Purge status
1	http://f/4/550/4d/build.ABC.com/cqi-bin/test.pl	Submitted

FIG. 6

7/7

